
ENJOY YOUR OWN POOL WITH NORSUP'S EXCLUSIVE POOL DESIGNS

The Norsup range opens up a myriad of opportunities to create the perfect pool for you. Norsup pools are designed to suit your needs and can be controlled from anywhere in the world thanks to our "NorsupOne" smart pool technology. You can relax knowing that your pool is safe and well maintained without the need for tedious testing. In addition to that, our Norsup pools can be installed much quicker than traditional methods so you can enjoy your new swimming pool in no time at all.

NORSUP **POOLS**

Ceramic pools
 PP/PE pools





NORSUP CERAMIC POOLS

Thanks to decades of know-how from GFK swimming pools, we offer perfect perfect solutions with an optically flawless surface finish. Because the pools are manufactured in one piece, there are no annoying transitions or joints. The norsup Ceramic pools are available in a variety of sizes, colours and with different steps options. Thanks to the special ceramic core in the GRP laminate and the hardening process through heat treatment (tempering), the Norsup ceramic pools have a significantly higher stability and the formation of osmosis is prevented.











Other dimensions, shapes and colors available on request. Please contact us for more information.

FAST INSTALLATION

Norsup ceramic pools are the perfect solution for customers who require high-end pools and want a short installation time. Installation is possible within one week!

These pools are available in different shapes, sizes and colours to create the look and feel you require. The pools are made of high quality fibreglass with a ceramic layer and a smooth, gelcoat finish.

FEATURES

- · Resistance to sub-zero temperatures
- · Equipped with a reinforced bottom layer
- · Produced in Europe
- · Available in different colours, shapes & sizes
- · Sizes differ from 5.4 metres up to 10 metres in length
- · Tough ceramic core
- · Exceptional durability and strong construction
- · Gel coat layer makes the pool perfectly resistant to chlorine, UV radiation and temperature changes
- · Special polyurethane foam layer ensures good isolation

The durable ceramic core strengthens the pool and reduces the chance of osmosis. It makes the pool resistant to prolonged temperatures up to 32°C.










White

Metallic White Metallic Blue

Metallic Sand








MONTECITO

| Length m | 5.40 | 6.50 | 7.60 |
|-------------------------|------|------|------|
| Width m | 3.00 | 3.00 | 3.00 |
| Depth m | 1.50 | 1.50 | 1.50 |
| Vol. MAX m ³ | 24 | 29 | 34 |
| Weight kg | | | 580 |

On request available with counter current system!











COLORADO


| Length m | 6.30** | 7.00 | 8.00** | 8.00* |
|-------------------------|--------|------|--------|-------|
| Width m | 3.10 | 3.20 | 3.20 | 3.75 |
| Depth m | 1.50 | 1.50 | 1.50 | 1.50 |
| Vol. MAX m ³ | 29 | 33 | 38 | 45 |
| Weight kg | | | | 850 |

*With model 8.00×3.75 m the entrance is situated on the right side. **With models $6,30\times3,10$ m and $8,00\times3,20$ m a bench is included in the steps.
















ASPEN

| Length m | 6.30 | 7.50 |
|-------------------------|------|------|
| Width m | 3.15 | 3.15 |
| Depth m | 1.50 | 1.50 |
| Vol. MAX m ³ | 30 | 35 |
| Weight kg | | 600 |

Complete this pool with Norsup technical equipment.











SANTA FE

| Length m | 7.0 | 9.00 |
|-------------------------|------|------|
| Width m | 3.10 | 3.75 |
| Depth m | 1.50 | 1.50 |
| Vol. MAX m ³ | 33 | 51 |
| Weight kg | | |
| | | |

On request available with counter current system!










SOHO

| Length m | 7.70 |
|-------------------------|------|
| Width m | 3.20 |
| Depth m | 1.55 |
| Vol. MAX m ³ | 38 |
| Weight kg | 550 |

Control your pool from the palm of your hand with the NorsupOne control unit.











MANHATTAN

| Length m | 6.40 | 6.90 | 8.40 |
|-------------------------|------|------|------|
| Width m | 3.15 | 3.20 | 3.20 |
| Depth m | 1.50 | 1.50 | 1.50 |
| Vol. MAX m ³ | 30 | 34 | 42 |
| Weight kg | | | 650 |

Also available with a pool cover!





NORSUP PP/PE POOLS

With 25 years' manufacturing experience, by choosing top quality of materials, Norsup PP/PE pools ensure extended operation life and exceptional design. Norsup provides both standard pools and pools with a built-in roller shaft which is ideal for implementing submerged automatic pool covers. The pools are available in different sizes, wall thickness, several stair designs and colour options, customised for each customer and situation. Everything is pre-installed / assembled, which makes installation easier!











Every pool is custom made. Please contact our sales team for the different sizes and options.



COMPLETE PACKAGING SOLUTION

All pools are pre-installed with high water line skimmers, nozzles, lights and piping. Please check out our white goods and lights in the general pool catalogue to select your preferred products. Automatic pool covers are pre-designed to fit each pool. Please check out our Pool cover assortment to select your preferred pool covers.

FEATURES

- · Solid construction with vertical struts with 50 cm distance, additional steel reinforcement and reinforcement at the top of the pool
- · High quality polypropylene with 12 mm wall thickness, bottom 8 mm
- · Insulation with 4 cm Polystyrol rigid foam panels
- · 20 mm thick treads with anti-slip coating (always in white)
- · Delivered pre-installed (saves time and money)











STEPS

SEB5S SED5S SEA5S Туре SEC5S

COVER **INTEGRATIONS**









Type

STR1

STR2

STR3

STR4

AVAILABLE COLOURS



















Control your pool from the palm of your hand with the NorsupOne control unit.

SKIMMER POOLS

| Length m | 6,00 | 7,0 | 8,00 | 9,80 |
|-------------|------|------|------|------|
| Width m | 3,00 | 3,50 | 3,50 | 3,50 |
| Depth m | 1,50 | 1,50 | 1,50 | 1,50 |
| Vol. MAX m³ | 27 | 37 | 42 | 51 |







Overflow grill 195 x 35 mm, available in white or silver.





Aluminum frame optionally available.



Complete this pool with Norsup technical equipment.

INFINITY POOLS

| Length m | 6,00 | 7,0 | 8,00 | 9,40 |
|-------------|------|------|------|------|
| Width m | 3,00 | 3,30 | 3,30 | 3,30 |
| Depth m | 1,50 | 1,50 | 1,50 | 1,50 |
| Vol. MAX m³ | 27 | 35 | 40 | 49 |



available on request.

